

<b>Notice of References Cited</b>	Application/Control No. 10/767,304		Applicant(s)/Patent Under Reexamination JOHN, AMY T.	
	Examiner Pavitra Kotini		Art Unit 3731	Page 1 of 1

**U.S. PATENT DOCUMENTS**

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	A	US-5,518,730 A	05-1996	Fuisz, Richard C.	424/426
*	B	US-5,716,376 A	02-1998	Roby et al.	606/228
*	C	US-2001/0024661 A1	09-2001	Modak et al.	424/486
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

**FOREIGN PATENT DOCUMENTS**

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

**NON-PATENT DOCUMENTS**

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	Rothenburger S., Spangler D., Bhende S., Burkley D. In Vitro Antimicrobial Evaluation of Coated Vicryl Plus Antibacterial Suture Usinf Zone of Inhibition Assays; Surgical Infection SOciety (SIS) journal (suppl) Dec 2002.
	V	
	W	
	X	

\*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)  
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.